

Bibliography

- [1] D. Sala and J. O. Limb, "A protocol for efficient transfer of data over fiber/cable system," *IEEE INFOCOM'96*, San Francisco, CA, Mar. 1996, pp. 904-911.
- [2] C. Grobicki and J. M. Ulm, "UniLINK as a media access protocol for community cable TV," *1995 2nd Int. Workshop Community Networking*, June 1995, pp.41-48.
- [3] J. Dail, M. Dajer, C.-C. Li, P. Magill, C. Siller, K. Sriram, and N. Whitaker, "Adaptive digital access protocol: A MAC protocol for multiservice broadband access networks," *IEEE Commun. Mag.*, Mar. 1996, pp.104-112.
- [4] C. Bisdikian, B. Neil, R. Norman, and R. Zeisz, "MLAP: A MAC level access protocol for the HFC 802.14 network," *IEEE Commun. Mag.*, Mar. 1996, pp. 114-121.
- [5] C-T. Wu, and G. Campbell, "Extended DQRAP (XDQRAP): A cable TV protocol functioning as a distributed switch," *1994 1st Int. Workshop Community Networking*, July 1994, pp.191-198.
- [6] C. Bisdikian, B. Neil, and R. Norman, "msSTART: A random access algorithm for the IEEE 802.14 HFC network," *Computer Communications* 19 (1996), pp. 876-887.
- [7] S. Nanda, "Analysis of packet reservation multiple access: Voice and data integration for wireless networks," *IEEE Globecom '90* (1990), pp.1984-1988.
- [8] S. Nanda, D.J. Goodman, and U. Timor, "Performance of PRMA: a packet voice

- protocol for cellular systems,” *IEEE Trans. Veh. Techn.*, Vol.40, 1991, pp.584-598
- [9] P. Roorda, and V. Leung, “Dynamic time slot assignment in reservation protocols for multiaccess channels,” *Proc. IEEE Pacific Rim Conference on Communications Computers and Signal Processing*, 1993, pp.451-454
- [10] N.D. Wilson, R. Ganesh, K. Joseph, and D. Raychaudhuri, “Packet CDMA versus Dynamic TDMA for multiple access in an integrated voice/data PCN,” *IEEE JSAC* 11, 1993, pp.870-884.
- [11] N. Amitay, “Distributed switching and control with fast resource assignment/handoff for personal communications systems,” *IEEE JSAC* 11, 1993, pp.842-849.
- [12] X. Qiu, and V. O. K. Li, “Dynamic Reservation Multiple Access (DRMA): A new multiple access scheme for Personal Communication System (PCS),” *Wireless Networks* 2, 1996, pp.117-128.
- [13] G. Bianchi, F. Borgonovo, L. Fratta, L. Musumeci, and M. Zorzi, “C-PRMA: A Centralized Packet Reservation Multiple Access for Local Wireless Communications,” *IEEE Trans. Veh. Techn.*, Vol. 46, No. 2, May 1997, pp.422-435.
- [14] G. Wu, K. Mukumoto, and A. Fukuda, "An integrated voice and data transmission system with idle signal multiple access – Static analysis –,” *IEICE Trans. Commun.*, Vol. E76-B, No.9, pp.1186-1192.
- [15] G. Wu, K. Taira, H. Harada, M. Mizuno, K. Mukumoto, and A. Fukuda, “An R-ISMA Integrated Voice/Data Wireless Information System with Different Packet Generation Rates,” *IEEE*, 1996,
- [16] K. Mukumoto, and A. Fukuda, “Idle signal multiple-access (ISMA) scheme for terrestrial packet radio networks,” *Trans. IECE*, Vol. J64-B, No.10, 1981, pp.66-

74.

[17] S. Lin, and D. J. Costello, Jr., "Error Control Coding: Fundamentals and Applications," *Englewood Cliffs, NJ: Prentice Hall, Inc.*, 1983.